

*for the
brighter side*




*elevating spaces
with luminance*



Designed for modern living, our lighting solutions unite precision, performance and elegance. From warm indoor ambiances to powerful outdoor brilliance, each product is engineered for excellence and crafted to elevate the way you experience light.





01. HOME LIGHTING

Modern home lighting with everlasting brightness crafted for superior performance, seamless design, and comfort that elevates your everyday living.

*the brighter
side of light*



LED BULBS



GLOVIN 0.5W LED BULBS

Code	Description	Colour Temperature	Dimension (mm)	M.R.P ₹	Pkg.
692505	0.5W Glovin LED Eco Bulbs	CW, WW, Y, RD, GR, BL, PK	45 (W) x 67 (H)	63.00	60



692505

GLOVIN+ LED BULBS (B-22 HOLDER)

Code	Description	Light Output	Dimensions (mm)	M.R.P ₹	Pkg.
691207	7W Glovin+ LED Bulb	CW - 700 lm, WW - 665 lm	56 (W / Dia) x 100 (H)	170.00	50
691209	9W Glovin+ LED Bulb	CW - 900 lm, WW - 855 lm	60 (W / Dia) x 106 (H)	180.00	50
691212	12W Glovin+ LED Bulb	CW - 1200 lm, WW - 1140 lm	60 (W / Dia) x 117 (H)	275.00	50
691215	15W Glovin+ LED Bulb	CW - 1500 lm, WW - 1425 lm	70 (W / Dia) x 130 (H)	360.00	50
691218	18W Glovin+ LED Bulb	CW - 1800 lm, WW - 1710 lm	75 (W / Dia) x 140 (H)	475.00	30



691209

CRI : >80 | PF : >0.90 | LED Make : Everstar | Beam Angle : 280° | CCT : CW - 6000K, WW - 3000K

VINBRITE LED INVERTER BULB

Code	Description	Light Output	Charging Time	Beam Angle	M.R.P ₹	Pkg.
691B09	9W Vinbrite LED Inverter Bulb	CW - 900 lm	8-10 Hours	280°	875.00	30



691B09

CRI : >70 | PF : >0.90 | LED Make : Sanan | CCT : CW - 6000K | Backup : 4 Hours

VINMAX+ LED HIGH WATTAGE BULBS

Code	Description	Light Output	M.R.P ₹	Pkg.
691230	30W Vinmax+ LED High Wattage Bulbs (B-22)	CW - 3000 lm, WW - 2850 lm	749.00	10
691240	40W Vinmax+ LED High Wattage Bulbs (B-22)	CW - 4000 lm, WW - 3800 lm	1,049.00	10
691250	50W Vinmax+ LED High Wattage Bulbs (B-22)	CW - 5000 lm, WW - 4750 lm	1,299.00	10
691E30	30W Vinmax+ LED High Wattage Bulbs (E-27)	CW - 3000 lm, WW - 2850 lm	749.00	10
691E40	40W Vinmax+ LED High Wattage Bulbs (E-27)	CW - 4000 lm, WW - 3800 lm	1,049.00	10
691E50	50W Vinmax+ LED High Wattage Bulbs (E-27)	CW - 5000 lm, WW - 4750 lm	1,299.00	10



691250

CRI : >80 | PF : >0.90 | LED Make : Sanan | Beam Angle : 280° | CCT : CW - 6000K, WW - 3000K



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR



LED BATTENS



ECOVIN LED BATTENS

Code	Description	Light Output	M.R.P ₹	Pkg.
671081	20W Ecovin LED Batten (Sq.)	CW - 2000 lm, DL - 1900 lm, WW - 1800 lm, RD, GR, BU, PK	620.00	40
671082	10W Ecovin LED Batten (Sq.)	CW - 1000 lm, DL - 950 lm, WW - 900 lm	350.00	40
671083	5W Ecovin LED Batten (Sq.)	CW - 500 lm, DL - 475 lm, WW - 450 lm	300.00	40
NEW 671024	24W Ecovin LED Batten (Sq.)	CW - 2400 lm, DL - 2280 lm, WW - 2160 lm	720.00	40
NEW 671136	*36W Ecovin Plastic LED Batten (Sq.)	CW - 3600 lm, DL - 3420 lm, WW - 3240 lm	760.00	40

CRI : >80 | PF : >0.90 | Beam Angle : 120° | LED Make : Sanan | *LED Make : Bridgelux
 CCT : CW - 6000K, DL - 4000K, WW - 3000K, RD - Red / GR - Green / BU - Blue / PN - Pink



ALUVIN ALUMINIUM LED BATTENS

Code	Description	Light Output	M.R.P ₹	Pkg.
671036	36W Aluvin Aluminium Batten (Sq.)	CW - 3600 lm, DL - 3500 lm, WW - 3400 lm	1050.00	30

CRI : >80 | PF : >0.95 | Beam Angle : 120° | LED Make : Bridgelux | CCT : CW - 6000K, DL - 4000K, WW - 3000K
 Dimension (mm) : 1210 (L) x 30 (W) x 35 (W)



	ENERGY EFFICIENT		ECO FRIENDLY		HASSLE FREE INSTALLATION		HIGH POWER FACTOR		WIDE WATTAGES		NO UV/IR
--	------------------	--	--------------	--	--------------------------	--	-------------------	--	---------------	--	----------





02. PANEL LIGHTING

Slim, compact yet powerful, our panel lighting range is designed to brighten spaces with even and glare-free illumination.

*the brighter
side of light*



RECESS & SURFACE

VINPRO ALUMINIUM LED PANEL LIGHTS - RECESS MOUNT NEW

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
694R04	4W Vinpro Aluminium LED Panel Light (Rd.)	CW - 360 lm, DL- 340 lm, WW - 320 lm	ø 70	375.00	40
694R09	9W Vinpro Aluminium LED Panel Light (Rd.)	CW - 810 lm, DL- 765 lm, WW - 720 lm	ø 105	450.00	40
694R12	12W Vinpro Aluminium LED Panel Light (Rd.)	CW - 10800 lm, DL- 1020 lm, WW - 960 lm	ø 130	585.00	40
694R15	15W Vinpro Aluminium LED Panel Light (Rd.)	CW - 1350 lm, DL- 1275 lm, WW - 1200 lm	ø 150	660.00	40
694R22	22W Vinpro Aluminium LED Panel Light (Rd.)	CW - 1980 lm, DL- 1870 lm, WW - 1760 lm	ø 200	925.00	20
694S04	4W Vinpro Aluminium LED Panel Light (Sq.)	CW - 360 lm, DL- 340 lm, WW - 320 lm	70 x 70	375.00	40
694S09	9W Vinpro Aluminium LED Panel Light (Sq.)	CW - 810 lm, DL- 765 lm, WW - 720 lm	105 x 105	450.00	40
694S12	12W Vinpro Aluminium LED Panel Light (Sq.)	CW - 10800 lm, DL- 1020 lm, WW - 960 lm	130 x 130	585.00	40
694S15	15W Vinpro Aluminium LED Panel Light (Sq.)	CW - 1350 lm, DL- 1275 lm, WW - 1200 lm	150 x 150	660.00	40
694S22	22W Vinpro Aluminium LED Panel Light (Sq.)	CW - 1980 lm, DL- 1870 lm, WW - 1760 lm	200 x 200	925.00	20



694R15



694S15

CRI : >80 | **LED Make** : SMD | **Beam Angle** : 120° | **CCT** : CW - 6000K, DL - 4000K, WW - 3000K

VINFLEX ADJUSTABLE PANEL LIGHT - RECESS MOUNT

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
695R12	12W Vinflex LED Adjustable LED Panel Light (Rd.)	CW - 960 lm, DL- 900 lm, WW - 840 lm	ø62 - 96	875.00	40
695R18	18W Vinflex LED Adjustable LED Panel Light (Rd.)	CW - 1260 lm, DL- 1170 lm, WW - 1060 lm	ø62 - 147	1400.00	20



695R12

CRI : >80 | **PF** : >0.90 | **LED Make** : Edison | **Beam Angle** : 110° | **CCT** : CW - 6000K, DL - 4000K, WW - 3000K

 ENERGY EFFICIENT	 ECO FRIENDLY	 HASSLE FREE INSTALLATION	 HIGH POWER FACTOR	 WIDE WATTAGES	 NO UV/IR
--	--	--	---	---	--

VINLED ECO LED DOWN LIGHTS - RECESS MOUNT



691R15



691S15



69SR15 / 69SS15

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
691R04	4W Vinled Eco LED Down Light (Rd.)	CW - 320 lm, DL - 280 lm, WW - 280 lm	ø 70	510.00	40
691R09	9W Vinled Eco LED Down Light (Rd.)	CW - 810 lm, DL - 790 lm, WW - 770 lm	ø 105	660.00	40
691R11	12W Vinled Eco LED Down Light (Rd.)	CW - 1200 lm, DL - 1170 lm, WW - 1140 lm	ø 130	583.00	40
691R15	15W Vinled Eco LED Down Light (Rd.)	CW - 1500 lm, DL - 1470 lm, WW - 1440 lm	ø 155	990.00	40
691R22	22W Vinled Eco LED Down Light (Rd.)	CW - 2200 lm, DL - 2170 lm, WW - 2140 lm	ø 210	1390.00	40
691S04	4W Vinled Eco LED Down Light (Sq.)	CW - 320 lm, DL - 280 lm, WW - 280 lm	ø 70	510.00	40
691S09	9W Vinled Eco LED Down Light (Sq.)	CW - 810 lm, DL - 790 lm, WW - 770 lm	ø 105	660.00	40
691S11	12W Vinled Eco LED Down Light (Sq.)	CW - 1200 lm, DL - 1170 lm, WW - 1140 lm	ø 130	583.00	40
691S15	15W Vinled Eco LED Down Light (Sq.)	CW - 1500 lm, DL - 1470 lm, WW - 1440 lm	ø 155	990.00	40
691S22	22W Vinled Eco LED Down Light (Sq.)	CW - 2200 lm, DL - 2170 lm, WW - 2140 lm	ø 210	1390.00	40

CRI : >80 | PF : >0.90 | Beam Angle : 110° | LED Make : Bridgelux | CCT : CW - 6000K, DL - 4000K, WW - 3000K

VINLED ECO LED DOWN LIGHTS WITH SENSOR - RECESS MOUNT NEW

Code	Description	Light Output	Dimension (mm)	M.R.P ₹	Pkg.
69SR15	15W Vinled Eco LED Down Light With Sensor (Rd.)	CW - 1500 lm, DL - 1470 lm, WW - 1440 lm	ø 155	1,030.00	40
69SS15	15W Vinled Eco LED Down Light With Sensor (Sq.)	CW - 1500 lm, DL - 1470 lm, WW - 1440 lm	ø 155	1,030.00	40

CRI : >80 | PF : >0.90 | Beam Angle : 120° | LED Make : Edison | CCT : CW - 6000K, DL - 4000K, WW - 3000K



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR

VINLED ECO 3 IN 1 LED DOWN LIGHTS - RECESS MOUNT

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
631R09	9W Vinled Eco 3 in 1 LED Down Light (Rd.)	CW - 810 lm, DL - 790 lm, WW - 770 lm	∅ 105	690.00	40
631S09	9W Vinled Eco 3 in 1 LED Down Light (Sq.)	CW - 810 lm, DL - 790 lm, WW - 770 lm	105 x 105	690.00	40
631R15	15W Vinled Eco 3 in 1 LED LED Down Light (Rd.)	CW - 1500 lm, DL - 1470 lm, WW - 1420 lm	∅ 155	1,030.00	40
631S15	15W Vinled Eco 3 in 1 LED Down Light (Sq.)	CW - 1500 lm, DL - 1470 lm, WW - 1420 lm	155 x 155	1,030.00	40



631R15 / 631S15

CRI : >80 | PF : >0.90 | LED Make : Bridgelux | Beam Angle : 110° | CCT : CW - 6000K, DL - 4000K, WW - 3000K

AEROVIN NX LED PANEL LIGHTS - RECESS MOUNT

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
699R03	3W Aerovin NX LED Panel Light (Rd.)	CW - 270 lm, DL - 255 lm, WW - 240 lm	∅ 68	400.00	40
699R06	6W Aerovin NX LED Panel Light (Rd.)	CW - 540 lm, DL - 510 lm, WW - 480 lm	∅ 97	550.00	40
699R10	10W Aerovin NX LED Panel Light (Rd.)	CW - 900 lm, DL - 850 lm, WW - 800 lm	∅ 129	740.00	40
699R15	15W Aerovin NX LED Panel Light (Rd.)	CW - 1350 lm, DL - 1275 lm, WW - 1200 lm	∅ 145	850.00	40
699R20	20W Aerovin NX LED Panel Light (Rd.)	CW - 1800 lm, DL - 1700 lm, WW - 1600 lm	∅ 195	1,200.00	20
699S03	3W Aerovin NX LED Panel Light (Sq.)	CW - 270 lm, DL - 255 lm, WW - 240 lm	68 x 68	400.00	40
699S06	6W Aerovin NX LED Panel Light (Sq.)	CW - 540 lm, DL - 510 lm, WW - 480 lm	97 x 97	550.00	40
699S10	10W Aerovin NX LED Panel Light (Sq.)	CW - 900 lm, DL - 850 lm, WW - 800 lm	129 x 129	740.00	40
699S15	15W Aerovin NX LED Panel Light (Sq.)	CW - 1350 lm, DL - 1275 lm, WW - 1200 lm	145 x 145	850.00	40
699S20	20W Aerovin NX LED Panel Light (Sq.)	CW - 1800 lm, DL - 1700 lm, WW - 1600 lm	195 x 195	1,200.00	20



699R15



699S15

CRI : >80 | PF : >0.90 | LED Make : Bridgelux | CCT : CW - 6000K, DL - 4000K, WW - 3000K

	ENERGY EFFICIENT		ECO FRIENDLY		HASSLE FREE INSTALLATION		HIGH POWER FACTOR		WIDE WATTAGES		NO UV/IR
--	------------------	--	--------------	--	--------------------------	--	-------------------	--	---------------	--	----------



696012

VINLED DEEP RECESSED LED DOWNLIGHT NEW

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
696012	12W Vinled Deep Recessed LED Down Light (White)	CW - 1200 lm, DL - 1140 lm WW - 1080 lm	ø 108	660.00	40
696B12	12W Vinled Deep Recessed LED Down Light (Black)	CW - 1200 lm, DL - 1140 lm WW - 1080 lm	ø 108	660.00	40
696018	18W Vinled Deep Recessed LED Down Light (White)	CW - 1800 lm, DL - 1710 lm WW - 1620 lm	ø 142	990.00	20
696B18	18W Vinled Deep Recessed LED Down Light (Black)	CW - 1800 lm, DL - 1710 lm WW - 1620 lm	ø 142	990.00	20

CRI : >80 | **PF** : >0.90 | **LED Make** : Bridgelux | **Beam Angle** : 110° | **CCT** : CW - 6000K, DL - 4000K, WW-3000K



69R303



69S303

VINLED MULTICOLOUR LED PANEL LIGHTS - RECESS MOUNT

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
69R303	3+3W Vinled LED Multicolour Panel Light (Rd.)	CW - 240 lm	ø 90	450.00	40
69R603	6+3W Vinled LED Multicolour Panel Light (Rd.)	CW - 480 lm	ø 125	700.00	40
69R124	12+4W Vinled LED Multicolour Panel Light (Rd.)	CW - 960 lm	ø 180	1,050.00	20
69S303	3+3W Vinled LED Multicolour Panel Light (Sq.)	CW - 240 lm	ø 85	450.00	40
69S603	6+3W Vinled LED Multicolour Panel Light (Sq.)	CW - 480 lm	ø 125	700.00	40
69S124	12+4W Vinled LED Multicolour Panel Light (Sq.)	CW - 960 lm	ø 180	1,050.00	20

CRI : >80 | **PF** : >0.9 | **CCT** : CW-PGB : Cool White + Pink + Green + Blue



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR

VINLED MULTICOLOUR LED PANEL LIGHTS - SURFACE MOUNT NEW

Code	Description	Light Output	Dimensions (mm)	M.R.P ₹	Pkg.
63R303	3+3W Vinled LED Multicolour Panel Surface Light (Rd.)	CW - 240 lm	106 (Dia) x 34 (H)	530.00	40
63R606	6+3W Vinled LED Multicolour Panel Surface Light (Rd.)	CW - 480 lm	147 (Dia) x 34 (H)	800.00	40
63R124	12+4W Vinled LED Multicolour Panel Surface Light (Rd.)	CW - 960 lm	196 (Dia) x 34 (H)	1,160.00	20
63S303	3+3W Vinled LED Multicolour Panel Surface Light (Sq.)	CW - 240 lm	106 x 106 x 34	530.00	40
63S606	6+3W Vinled LED Multicolour Panel Surface Light (Sq.)	CW - 480 lm	147 x 147 x 34	800.00	40
63S124	12+4W Vinled LED Multicolour Panel Surface Light (Sq.)	CW - 960 lm	196 x 196 x 34	1,160.00	20



63R124



63S124

CRI : >80 | **PF** : >0.9 | **CCT** : CW-PGB : Cool White + Pink + Green + Blue

VINSLIM LED PANEL LIGHT - SURFACE MOUNT

Code	Description	Light Output	Dimensions (mm)	M.R.P ₹	Pkg.
636R08	8W Vinslim Surface LED Panel Light (Rd.)	CW - 640 lm, DL - 600 lm, WW - 560 lm	90 x 27 (H)	380.00	40
636R15	15W Vinslim Surface LED Panel Light (Rd.)	CW - 1200 lm, DL - 1125 lm, WW - 1050 lm	120 x 27 (H)	640.00	40
636R20	20W Vinslim Surface LED Panel Light (Rd.)	CW - 1600 lm, DL - 1500 lm, WW - 1400 lm	155 x 27 (H)	920.00	20
636S08	8W Vinslim Surface LED Panel Light (Sq.)	CW - 640 lm, DL - 600 lm, WW - 560 lm	90 x 90 x 27 (H)	380.00	40
636S15	15W Vinslim Surface LED Panel Light (Sq.)	CW - 1200 lm, DL - 1125 lm, WW - 1050 lm	120 x 120 x 27 (H)	640.00	40
636S20	20W Vinslim Surface LED Panel Light (Sq.)	CW - 1600 lm, DL - 1500 lm, WW - 1400 lm	155 x 155 x 27 (H)	920.00	20



636R15



636S15

CRI : >80 | **PF** : >0.90 | **LED Make** : Bridgelux | **Beam Angle** : 120° | **CCT** : CW - 6000K, DL - 4000K, WW - 3000K



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR



693R15 / 693S15

VINLED ROTO LED PANEL LIGHT - SURFACE MOUNT

Code	Description	Light Output	Dimensions (mm)	M.R.P ₹	Pkg.
693R20	20W Roto Surface LED Panel Light (Rd.)	DL- 1960 lm	180 (Dia) x 30 (H)	985.00	30
693S08	8W Roto Surface LED Panel Light (Sq.)	CW - 800 lm, DL - 760 lm	100 x 100 x 30 (H)	550.00	40
693S15	15W Roto Surface LED Panel Light (Sq.)	CW - 1500 lm, DL - 1460 lm	140 x 140 x 30 (H)	750.00	40
693S20	20W Roto Surface LED Panel Light (Sq.)	DL - 1960 lm	180 x 180 x 30 (H)	985.00	30

CRI : >80 | **PF** : >0.90 | **LED Make** : Sanan | **Beam Angle** : 140° | **CCT** : CW - 6000K, DL - 4000K



693003

STRIKO LED STRIKER LIGHT - SURFACE MOUNT

Code	Description	Light Output	Dimension (mm)	M.R.P ₹	Pkg.
693003	3W Striko Striker Light	CW-165 Lm, WW-150 Lm, RD - 18 Lm, GR - 135 Lm, BU - 21 Lm, PN -75 Lm	68 (W / Dia) x 13 (H)	145.00	50

CRI : >80 | **PF** : >0.9 | **Beam Angle** : 120° | **CCT** : CW - 6000K, WW-3000K, Red, Green, Blue & Pink



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR





03. DOWN LIGHTING

Combining style and utility, our ultra modern LED Down Lights are perfect for low ceilings. With long-life LEDs and high-end electronic drivers, they are ideal illumination for retail, hospitality etc.

*the brighter
side of light*





RECESS & SURFACE

VINLED LED DOWN LIGHTS

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
NEW 699103	3W Vinled Deep Junc. LED Light (Rd.)	CW - 270 lm, WW/DL - 240 lm, RD - 18 lm, GR - 165 lm, BU - 21 lm, PN - 24 lm	ø 55	145.00	100
NEW 693103	3W Vinled 3 in 1 Deep Junc. LED Light (Rd.)	CW - 270 lm + WW + DL - 240 lm, RD - 18 lm + GR - 165 lm + BU - 21 lm + PN - 24 lm	ø 55	170.00	100
NEW 699109	9W Vinled LED Junction Light (Rd.)	CW - 900 lm, WW - 820 lm, DL - 820 lm, RD - 55 lm, BU - 65 lm, PN - 65 lm	ø 105	300.00	40
NEW 693109	9W Vinled LED 3 in 1 Junction Light (Rd.)	CW - 900 lm+ WW - 820 lm + DL - 820 lm, RD - 55 lm + BU - 65 lm + PN - 65 lm	ø 75	370.00	40
NEW 699115	15W Vinled LED Junction Light (Rd.)	CW - 1500 lm, WW - 1420 lm, DL - 1420 lm, RD - 90 lm, BU - 105 lm, PN - 105 lm	ø 50	550.00	40
NEW 693115	15W Vinled LED 3 in 1 Junction Light (Rd.)	CW - 1500 lm + WW - 1420 lm + DL - 1420 lm, RD - 90 lm + BU - 105 lm + PN - 105 lm	ø 50	630.00	40
690107	7W Vinled LED Down Light (Rd.)	CW - 560 lm + WW - 525 lm + DL - 525 lm, RD / GR / BU / PN - 490 lm	ø 75	220.00	50
691112	12W Vinled LED Down Light (Rd.)	CW - 960 lm + WW - 840 lm + DL - 840 lm, RD / GR / BU / PN - 780 lm	ø 105	360.00	50
631107	7W Vinled 3 in 1 LED Down Light (Rd.)	CW - 525 lm + WW - 525 lm + DL - 525 lm, RD / GR / BU / PN - 105 lm	ø 75	300.00	50
690109	9W Vinled LED Down Light (Rd.)	CW - 720 lm + WW - 675 lm + DL - 675 lm, RD / GR / BU / PN - 630 lm	ø 75	275.00	50
690040*	3W Vinled LED Down Light (Rd.)	CW - 240 lm, WW - 210 lm, RD / GR / BU / PN - 195 lm	ø 38.5	230.00	100
693140*	3W Vinled 3 in 1 LED Down Light (Rd.)	CW - 240 lm + WW - 210 lm + DL - 180 lm, RD + BU + PN - 195 lm	ø 38.5	340.00	100
690099	7W Vinled LED Down Light (Rd.)	CW - 630 lm, WW - 595 lm, RD / GR / BU / PN - 240 lm	ø 70	300.00	50



690107



690040

690140



690099



699103



699109

CRI : >70 | **PF** : >0.90 | **Beam Angle** : 120° | **LED Make** : Bridgelux
***Beam Angle** : 80° | ***LED Make** : Sanan
CCT : CW - 6000K, DL - 4000K, WW - 3000K, BU - Blue, RD - Red, GR - Green, PN - Pink



ENERGY EFFICIENT



ECO FRIENDLY



ZERO MAINTENANCE



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR



691401



691501



691403



691503

LED NICHE LIGHTS - RECESS MOUNT

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
691401	1W LED Niche Light (Rd.)	CW - 70 lm, BU / WW - 60 lm	ø 26	230.00	100
691501	1W LED Niche Light (Sq.)	CW - 70 lm, BU / WW - 60 lm	ø 26	230.00	100
691403*	3W LED Niche Light (Rd.)	CW - 150 lm, WW - 120 lm	ø 30	400.00	100
691503*	3W LED Niche Light (Rd.)	CW - 150 lm, WW - 120 lm	ø 30	400.00	100

CRI : >80 | PF : >0.90 | Beam Angle : 38° | LED Make : Epistar | CCT : CW - 6000K, WW - 3000K, BU - Blue
 *Beam Angle : 20° | *CRI : >70 | *LED Make : Cree

COBVIN LED LIGHTS - RECESS MOUNT



693703



694612



694720

Code	Description	Light Output	LED Make	Cutout (mm)	M.R.P ₹	Pkg.
693703	3W Cobvin LED Spot Light	CW - 330 lm, DL - 300 lm, WW-300 lm	Teen	ø 45	425.00	100
693712	12W Cobvin LED Spot Light	CW - 1350 lm, DL-1250 lm, WW-1250 lm	Teen	ø 105	1055.00	30
694603	3W Cobvin LED Down Light	CW - 180 lm, DL - 165 lm, WW - 150 lm	Bridgelux	ø 38	460.00	100
694607	7W Cobvin LED Down Light	CW - 546 lm, DL - 535 lm, WW - 490 lm	Bridgelux	ø 57	920.00	50
694612	12W Cobvin LED Down Light	CW - 1140 lm, DL - 1080 lm, WW - 1020 lm	Bridgelux	ø 72	1,450.00	50
694618	18W Cobvin LED Down Light	CW - 1710 lm, DL - 1620 lm, WW - 1580 lm	Bridgelux	ø 88	1,650.00	20
694710*	10W Cobvin LED Down Light	CW - 850 lm, DL - 800 lm, WW - 800 lm	Epistar	ø 90 x 62 (D)	1,140.00	50
694720*	20W Cobvin LED Down Light	CW - 1700 lm, DL - 1600 lm, WW - 1600 lm	Epistar	ø 120 x 78 (D)	1,500.00	30

CRI : >80 | PF : >0.95 | CCT : CW-6000K, DL-4000K, WW-3000K | Beam Angle : 24° | *Beam Angle : 35°



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR

COBVIN LED MOVABLE LIGHTS - RECESS MOUNT

Code	Description	Light Output	Beam Angle	Cutout (mm)	M.R.P ₹	Pkg.
691004*	4W Cobvin LED Movable Light	CW - 370 lm, WW - 340 lm, DL - 320 lm, RD / GR / BU / PN - 240 lm	70°	∅ 56	240.00	50
691007*	7W Cobvin LED Movable Light	CW - 700 lm, WW - 680 lm, DL-660 lm, RD / GR / BU / PN - 525 lm	70°	∅ 81	310.00	50
691012*	12W Cobvin LED Movable Light	CW - 1200 lm, DL - 1140 lm, WW - 1080 lm	70°	∅ 104	530.00	30
693903	3W Cobvin LED Movable Light	CW - 270 Lm, DL - 255 Lm, WW - 240 Lm	24°	∅ 52	470.00	50
693907	7W Cobvin LED Movable Light	CW - 630 Lm, DL - 595 Lm, WW - 560 Lm	38°	∅ 70	800.00	40
693912	12W Cobvin LED Movable Light	CW - 1080 Lm, DL - 1020 Lm, WW - 960 Lm	38°	∅ 70	935.00	20
693918	18W Cobvin LED Movable Light	CW - 1800 Lm, DL - 1710 Lm, WW - 1620 Lm	55°	∅ 92	1,430.00	12
693924	24W Cobvin LED Movable Light	CW - 2400 Lm, DL - 2280 Lm, WW - 2160 Lm	55°	∅ 120	2,090.00	12
693930	30W Cobvin LED Movable Light	CW - 3600 Lm, DL - 3420 Lm, WW - 3240 Lm	55°	∅ 145	2,475.00	06
693950	50W Cobvin LED Movable Light	CW - 5000 Lm, DL-4750 Lm, WW - 4500 Lm	55°	∅ 145	2,860.00	06
694706	6W Cobvin LED Movable Light	CW - 510 lm, DL - 480 lm, WW - 480 lm	120°	∅ 70 x 67 (D)	1,100.00	50
694709	9W Cobvin LED Movable Light	CW - 765 lm, DL - 720 lm, WW - 720 lm	120°	∅ 75 x 75 (D)	1,300.00	50
694712	12W Cobvin LED Movable Light	CW - 1020 lm, DL - 960 lm, WW - 960 lm	120°	∅ 90 x 90 (D)	1,400.00	30
694718	18W Cobvin LED Movable Light	CW - 1530 lm, DL - 1440 lm, WW - 1440 lm	120°	∅ 115 x 97 (D)	1,680.00	20
694724	24W Cobvin LED Movable Light	CW-2040 lm, DL-1920 lm, WW-1920 lm	120°	∅ 145 x 90 (D)	2,250.00	10



691007



693903



693918



694724

CRI : >80 | PF : >0.95 | *LED Make : Bridgelux | LED Make : Sanan | CCT : CW - 6000K, DL - 4000K, WW - 3000K



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR

COBVIN LED LIGHTS - RECESS MOUNT



693W18



693B18

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
693W07	7W Cobvin LED Light (White)	CW - 630 lm, DL - 595 lm, WW - 560 lm	ø 55	800.00	40
693B07	7W Cobvin LED Light (Black)	CW - 630 lm, DL - 595 lm, WW - 560 lm	ø 55	800.00	40
693W12	12W Cobvin LED Light (White)	CW - 1080 lm, DL - 1020 lm, WW - 960 lm	ø 75	1,020.00	40
693B12	12W Cobvin LED Light (Black)	CW - 1080 lm, DL - 1020 lm, WW - 960 lm	ø 75	1,020.00	40
693W18	18W Cobvin LED Light (White)	CW - 1620 lm, DL - 1530 lm, WW - 1440 lm	ø 78	1,295.00	20
693B18	18W Cobvin LED Light (Black)	CW - 1620 lm, DL - 1530 lm, WW - 1440 lm	ø 78	1,295.00	20

CRI : >80 | PF : >0.95 | Beam Angle : 38° | LED Make : Sanan | CCT : CW - 6000K, DL - 4000K, WW - 3000K

COBVIN LED LIGHTS (WHITE & ROSE GOLD / BLACK & ROSE GOLD) - RECESS MOUNT



69WR12



69WR12

Code	Description	Light Output	Cutout (mm)	M.R.P ₹	Pkg.
69WR07	7W Cobvin LED Light (White + Rose Gold)	CW - 630 lm, DL - 595 lm, WW - 560 lm	ø 65	1,075.00	40
69BR07	7W Cobvin LED Light (Black + Rose Gold)	CW - 630 lm, DL - 595 lm, WW - 560 lm	ø 65	1,075.00	40
69WR12	12W Cobvin LED Light (White + Rose Gold)	CW - 1080 lm, DL - 1020 lm, WW - 960 lm	ø 75	1,295.00	40
69BR12	12W Cobvin LED Light (Black + Rose Gold)	CW - 1080 lm, DL - 1020 lm, WW - 960 lm	ø 75	1,295.00	40

CRI : >80 | PF : >0.95 | Beam Angle : 38° | LED Make : Sanan | CCT : CW - 6000K, DL - 4000K, WW - 3000K



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR

COBVIN LED SURFACE LIGHTS

Code	Description	Light Output	Dimensions (mm)	M.R.P ₹	Pkg.
60BR07	7W Cobvin Surface LED Light (Black + Rose Gold)	CW- 630 lm, DL - 595 lm, WW - 560 lm	70 x 50 (H)	1,020.00	40
60BB07	7W Cobvin Surf. LED Light (Black + Titanium Black)	CW - 630 lm, DL - 595 lm, WW - 560 lm	70 x 50 (H)	1,020.00	40
60BR12	12W Cobvin Surface LED Light (Black + Rose Gold)	CW - 1080 lm, DL - 1020 lm, WW - 960 lm	90 x 70 (H)	1,295.00	40
60BB12	12W Cobvin Surf. LED Light (Black + Titanium Black)	CW - 1080 lm, DL - 1020 lm, WW - 960 lm	90 x 70 (H)	1,295.00	40
60BR18	18W Cobvin Surface LED Light (Black + Rose Gold)	CW - 1620 lm, DL - 1530 lm, WW - 1440 lm	95 x 100 (H)	1,925.00	40
60BB18	18W Cobvin Surf. LED Light (Black + Titanium Black)	CW - 1620 lm, DL - 1530 lm, WW - 1440 lm	95 x 100 (H)	1,925.00	40



60BB07



60BR07

CRI : >80 | **PF** : >0.95 | **Beam Angle** : 38° | **LED Make** : Sanan | **CCT** : CW - 6000K, DL - 4000K, WW - 3000K

VINSTAR LED SPOT LIGHTS - RECESS MOUNT

Code	Description	Light Output	Beam Angle	Cutout (mm)	M.R.P ₹	Pkg.
691001	1W Vinstar LED Spot Light	CW - 90 lm, , RD / GR / BU / PN - 80 lm	80°	∅ 30	95.00	100
691002	2W Vinstar LED Spot Light	CW - 140 lm, WW - 130 lm, RD - 18 lm, GR - 120 lm, BU - 16 lm, PN - 100 lm	38°	∅ 32	130.00	50



691001



691002

CRI : >80 | **PF** : >0.90 | **LED Make** : Sanan | **CCT** : CW - 6000K, WW-3000K, BU - Blue, RD - Red, GR - Green, PN - Pink



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION




HIGH POWER FACTOR



WIDE WATTAGES




NO UV/IR



04. DECOR LIGHTING


Designed to provide accent lighting. Decor lighting adds a dramatic effect to your spaces. Vibrant and flexible, the range offers choices in colors & intensity for creating the perfect ambience.

*for the
brighter side*






LED STRIP LIGHTS



VINSTRIP LED STRIP LIGHTS

Code	Description	LED / Mtr.	Input Volt.	Length	M.R.P ₹	Pkg.
632045	45W Vinstrip COB LED Strip Light	320 LED	DC 24V	5 meters	1,600.00	100
693580	80W 2835 Vinstrip LED Strip Light	240 LED	DC 12V	5 meters	1,540.00	100
695060	60W 5050 Vinstrip LED Strip Light	60 LED	DC 12V	5 meters	1,050.00	50
693520	20W 2835 Vinstrip LED Strip Light	60 LED	DC 12V	5 meters	850.00	100

CRI : >80 | **PF** : >0.95 | **IP** : 20 | **LED Make** : Sanan | **Colour Temp.**: CW-6000K, DL-4000K, WW-3000K
693520 - CCT : CW, WW, DL, Red, Green, Blue, Pink, Ice Blue, Amber, Purple | **695060 - CCT** : CW, DL



VIN DRIVERS FOR LED STRIP LIGHTS (12V)

Code	Description	Input Voltage	M.R.P ₹	Pkg.
DR03603	36W (SMPS) LED Power Supply - 3 AMP	12V	400.00	50
DR06055	60W (SMPS) LED Power Supply - 5 AMP	12V	520.00	50
DR10008	100W (SMPS) LED Power Supply - 8.3 AMP	12V	700.00	50
DR12010	120W (SMPS) LED Power Supply - 10 AMP	12V	800.00	30
DR20016	200W (SMPS) LED Power Supply - 16 AMP	12V	1,030.00	20
DR25020	250W (SMPS) LED Power Supply - 20 AMP	12V	1,150.00	20
DR30025	300W (SMPS) LED Power Supply - 25 AMP	12V	1,380.00	10



VIN DRIVERS FOR LED STRIP LIGHTS (24V) NEW

Code	Description	Input Voltage	M.R.P ₹	Pkg.
DR07203	72W (SMPS) LED Power Supply - 3 AMP	24V	1,110.00	50



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR



LED ROPE LIGHTS

VINRO LED ROPE LIGHTS

Code	Description	LED / Mtr.	Input Volt.	Length	M.R.P ₹	Pkg.
692835	2835 Vinro LED Rope Light	120 LED	220V	50 meter	10,400.00	02
695050	5050 Vinro LED Rope Light (RGB)	60 LED	220V	50 meter	13,500.00	02
NEW 692845	2835 Vinro LED Rope Light	120 LED	220V	45 meter	6,900.00	03

IP : 65 | CCT : CW-6000K, DL-4000K, WW-3000K, Red / Green / Blue / Pink / Ice Blue / Amber / Purple

POWER DRIVERS FOR ROPE LIGHTS

Code	Description	M.R.P ₹	Pkg.
693014PC	Power Cord	250.00	100
695050PC	RGB Power Cord	275.00	50
695050IR	RGB Remote	825.00	50
692845PC	Power Cord	300.00	100

IP : 65 | CCT : CW-6000K, DL-4000K, WW-3000K, Red / Green / Blue / Pink / Ice Blue / Amber / Purple



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR



05. RETAIL LIGHTING

Aesthetically designed,
Retail Lights are made to
ensure exceptional
luminance with excellent
efficiency.

*the brighter
side of light*





RECESS & SURFACE



SURFACE CEILING SENSOR

Code	Description	M.R.P ₹	Pkg.
690001	Surface Ceiling Sensor	950	50



690001

COMMERCIAL PANEL LIGHT

Code	Description	Light Output	Dimensions (mm)	M.R.P ₹	Pkg.
691036	36W 2 x 2 Comm. LED Panel Light (Sq.)	CW - 3100 lm	595 x 595 x 40	2,800.00	06

CRI : >80 | PF : >0.95 | Beam Angle : 120° | LED Make : Epistar | CCT : CW-6000K, DL-4000K



691036

VINO LED UFO HIGH BAY LIGHTS

Code	Description	Light Output	Dimension (mm)	M.R.P ₹	Pkg.
688100	100W Vino LED UFO High Bay Light	CW - 10000 lm	254 (Dia) x 165 (D)	4,230.00	06
688150	150W Vino LED UFO High Bay Light	CW - 15000 lm	320 (Dia) x 170 (D)	6,050.00	04
688200	200W Vino LED UFO High Bay Light	CW - 20000 lm	360 (Dia) x 175 (D)	7,980.00	03

CRI : >80 | PF : >0.95 | Beam Angle : 120° | LED Make : Epistar | CCT : CW - 6000K



688150



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR

VINTRO TRACK LIGHTS



691027

Code	Description	Light Output	CRI	Dimensions (mm)	M.R.P ₹	Pkg.
691W20	20W Vintro LED Track Light (White)	CW-2000 lm, DL-1900 lm, WW-1800 lm	>80	156 x 65 (H)	1,815.00	10
691B20	20W Vintro LED Track Light (Black)	CW-2000 lm, DL-1900 lm, WW-1800 lm	>80	156 x 65 (H)	1,815.00	10
691W30	30W Vintro LED Track Light (White)	CW-3000 lm, DL-2850 lm, WW-2700 lm	>87	180 x 75 (H)	2,200.00	10
691B30	30W Vintro LED Track Light (Black)	CW-3000 lm, DL-2850 lm, WW-2700 lm	>80	180 x 75 (H)	2,200.00	10
691081*	20W Vintro LED Track Light	CW-1600 lm, DL-1500 lm, WW-1500 lm	>75	140 x 127 x 95	2,500.00	10
691082*	30W Vintro LED Track Light	CW-2400 lm, DL-2250 lm, WW-2250 lm	>75	180 x 155 x 107	3,550.00	10
691083*	50W Vintro LED Track Light	CW-4000 lm, DL-3750 lm, WW-3750 lm	>75	180 x 155 x 107	4,550.00	10
691027*	30W Vintro LED Track Light	CW-2230 lm, DL-2200 lm, WW-2120 lm	>75	185 x 210 (H)	2,737.00	10

PF : >0.90 | Beam Angle : 36° | CCT : CW-6500K, DL-4000K, WW-3000K | LED Make : Sanan | *LED Make : Epistar



691W20



691B20



691081



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR

VINO FLOOD LIGHTS

Code	Description	Light Output	Dimensions (mm)	M.R.P ₹	Pkg.
NEW 685030	30W Vino LED Flood Light	CW - 3000 lm, WW - 2850 lm	148 x 125 x 25	880.00	20
NEW 685050	50W Vino LED Flood Light	CW - 5000 lm, WW - 4750 lm	205 x 160 x 25	1,200.00	20
NEW 685100	100W Vino LED Flood Light	CW - 10000 lm, WW - 9500 lm	273 x 210 x 25	1,860.00	10
NEW 685200	200W Vino LED Flood Light	CW - 3000 lm, WW - 2850 lm	382 x 282 x 25	3,765.00	05
689010	10W Vino LED Flood Light	CW - 1100 lm, WW - 1050 lm	135 x 115 x 32	990.00	30
689030	30W Vino LED Flood Light	CW - 3000 lm, WW - 2800 lm	175 x 155 x 39	2,140.00	20
689050	50W Vino LED Flood Light	CW - 5000 lm, WW - 4800 lm	210 x 195 x 39	2,650.00	10
689100	100W Vino LED Flood Light	CW - 10000 lm, WW-9700 lm	260 x 250 x 40	4,890.00	10
689200	200W Vino LED Flood Light	CW - 20000 lm, WW - 19700 lm	345 x 325 x 40	11,000.00	06

CRI : >80 | PF : >0.90 | Beam Angle : 100° | CCT : CW-6500K, WW-3000K | IP : 65



685050



693050



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR



06. FACADE LIGHTING

Facade lights are a great flexible lighting solution to uplift your spaces. Showcasing extreme weather resistance, the lights allow visibility in low light conditions and are best suited for outdoor spaces walkways etc.

*the brighter
side of light*





RECESS & SURFACE



VINO LED BULKHEADS

Code	Description	Light Output	Dimension (mm)	PF	M.R.P ₹	Pkg.
680012	12W Vino LED Eco Bulk Head Lamp	CW - 1200 lm, WW - 1140 lm	190 x 75	>0.95	630.00	20
680024	24W Vino LED Eco Bulk Head Lamp	CW - 2400 lm, WW - 2280 lm	265 x 125	>0.95	1,150.00	20

CRI : >80 | Beam Angle : 120° | CCT : CW-6000K, WW-3000K | IP : 65 | LED Make : Sanan



680012

VINO ECO LED CEILING LIGHTS

Code	Description	Light Output	Dimension (mm)	LED Make	M.R.P ₹	Pkg.
680101	8W Vino Eco LED Ceiling Light	WW - 520 lm	190 x 75	Epistar	2,120.00	12
680133	8W Vino Eco LED Ceiling Light	WW - 450 lm	213 x 82	Sanan	1,850.00	20

CRI : >80 | PF : >0.95 | Beam Angle : 120° | CCT : WW-3000K | IP : 65



680101



680133

VINO LED SURFACE CEILING LIGHTS

Code	Description	Light Output	Dimension (mm)	M.R.P ₹	Pkg.
680B05	5W Vino LED Surface Ceiling Light (Black)	WW - 500 lm	58 x 16	650.00	20
680W05	5W Vino LED Surface Ceiling Light (White)	WW - 500 lm	58 x 16	650.00	20

CRI : >80 | PF : >0.95 | Beam Angle : 36° | CCT : WW-3000K | IP : 65 | LED Make : Edison



680W05



680B05

VINO LED WALL LAMPS

Code	Description	Light Output	Beam Angle	LED Make	M.R.P ₹	Pkg.
680691	7W LED Wall Lamp	WW - 570 lm	115°	Bridgelux	3,350.00	16
680465	12W LED Outdoor Wall Lamp	WW - 825 lm	-	Epistar	4,300.00	10

CRI : >80 | CCT : WW - 3000K



680691



680465



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR



680277



680482



680023



680W23



680923



680928

VINO LED FOOT LIGHTS & STEP LIGHTS

Code	Description	Light Output	Beam Angle	LED Make	Dimensions (mm)	M.R.P ₹	Pkg.
680277	3W Vino Concealed LED Vertical Step Light	WW - 98 lm	30.9°	1 x 3W Cree LED	58 x 195	3,000.00	18
680482	5W Vino LED Surface Brick Lamp	WW - 470 lm	100.8°	27 x Everlight SMD	230 x 79	3,580.00	18
680023	3W Vino Concealed LED Foot Light	WW - 300 lm	90°	-	80 x 70 x 38	580.00	20
680W23	3W Vino Concealed LED Foot Light (White)	WW - 300 lm	90°	-	80 x 70 x 38	580.00	20
680923	3W Vino LED Surface Foot Light	WW - 300 lm	98°	Edison	90 x 70 x 39	690.00	20
680928	8W Vino LED Surface Foot Light	WW - 800 lm	98°	Edison	150 x 70 x 39	880.00	20

CRI : >80 | PF : >0.95 | LED Make : Edison | CCT : WW-3000K

VINO LED UP / DOWN LIGHTS



680015



680031



680032



688012

Code	Description	Light Output	Beam Angle	LED Make	M.R.P ₹	Pkg.
680015	4W Vino 4 Way LED Wall Lamp	WW - 372 lm	70°	Cree	4580.00	16
680031	3W Vino LED One Way LED Lamp	WW - 300 lm	70°	Cree	2900.00	12
680032	2 x 3W Vino LED Up-Down Wall Lamp	WW - 600 lm	70°	Cree	3600.00	20
688012	2 X 6W Vino LED Up-Down Wall Lamp	WW - 1080 lm	100°	Epistar	3850.00	20

CRI : >80 | PF : >0.90 | LED Make : Edison | CCT : WW - 3000K



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR

VINO LED UP / DOWN LIGHTS

Code	Description	Light Output	Beam Angle	LED Make	M.R.P ₹	Pkg.
680731	12W VINO One Way LED Wall Lamp	WW - 846 lm	67°	Cree	6500.00	08
680733	12W VINO LED Surface Down Light	WW - 1200 lm	38°	Cree	6690.00	18
680701	6W VINO LED Up-Down Wall Lamp	WW - 389 lm	91.6°	Bridgelux	4850.00	12
680534	4W VINO LED 4 Way Up-Down Wall Lamp	WW - 400 lm	24°	Epistar	1100.00	16
680536	6W VINO LED 6 Way Up-Down Wall Lamp	WW - 600 lm	24°	Epistar	1485.00	16
680082	2 x 3W VINO LED Up-Down Wall Lamp	WW - 162 lm	4.9° / 81.9°	Cree	4300.00	24
680612	3W VINO LED Up-Down Wall Lamp	WW - 300 lm	90°	Edison	800.00	20
680614	5W VINO 4 Way LED Wall Lamp	WW - 500 lm	60°	Edison	1210.00	20
680291	3W VINO One Way LED Lamp	WW - 230 lm	71°	Cree	4180.00	12



CRI : >80 | PF : >0.90 | LED Make : Edison | CCT : WW - 3000K





07. LAND- SCAPE LIGHTING

Emitting light with adequate brightness, the decorative and functional, lights add a charm to your gardens and backyards.

*the brighter
side of light*





LED STREET LIGHT

VINO LED STREET LIGHTS

Code	Description	Light Output	CRI	M.R.P ₹	Pkg.
686024	24W VINO LED Street Light	CW - 2160 lm, WW - 2040 lm	>80	1,465.00	20
686036	36W VINO LED Street Light	CW - 3240 lm, WW - 3060 lm	>80°	1,850.00	20
686050	50W VINO LED Street Light	CW - 4500 lm, WW - 4250 lm	>80	2,310.00	20
686080	80W VINO LED Street Light	CW - 8000 lm, WW - 7600 lm	>80	3,850.00	10
684020	20W VINO LED Street Light	CW - 1800 lm, WW - 1700 lm	>70	1,600.00	20
684030	30W VINO LED Street Light	CW - 2700 lm, WW - 2550 lm	>70	2,550.00	20
684100	100W VINO LED Street Light	CW - 9000 lm, WW - 8500 lm	>80	8,390.00	05

CRI : >80 | PF : >0.95 | IP : 65 | Beam Angle : 120° | CCT : CW-6000K, WW-3000K



686050



684100

SOLAVIN SOLAR LED STREET LIGHTS NEW

Code	Description	Light Output	Dimension (mm)	Battery Type & Input	M.R.P ₹	Pkg.
S68050	50W Solavin LED Solar Street Light	CW - 600 lm	357.2 x 134 x 54.7	LiFeP04 - 3.2V / 5AH	2,410.00	20
S68100	100W Solavin LED Solar Street Light	CW - 1400 lm	439 x 236 x 64	LiFeP04 - 3.2V / 12AH	4,020.00	10
S68200	200W Solavin LED Solar Street Light	CW - 2000 lm	559 x 236 x 64	LiFeP04 - 3.2V / 18AH	5,750.00	05
S68300	300W Solavin LED Solar Street Light	CW - 2500 lm	689 x 237 x 64	LiFeP04 - 3.2V / 24AH	7,250.00	05

CRI : >80 | CCT : CW-6000K | IP : 65 | Beam Angle : 120°

Overcharge & Discharge Protection

Smart Motion Sensor Dust Sensor for Auto On & Off

Easy to control with IR Remote | Backup : 12 -14 Hours

Charging Time : 4-6 Hours



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR



LED GARDEN LIGHTS

VINO LED GATE LAMPS

Code	Description	Light Output	IP	M.R.P ₹	Pkg.
681079	10W Vino LED Gate Lamp E-27 Holder (H-300mm)	WW - 850 lm	54	6,690.00	04
681039	10W Vino LED Gate Lamp E-27 Holder (H-300mm)	WW - 850 lm	54	5,300.00	08

CCT : WW-3000K



681079



681039

VINO LED GARDEN SPIKE LIGHTS

Code	Description	Light Output	Beam Angle	LED Make	M.R.P ₹	Pkg.
681364	8W Vino COB LED Spike Lamp	WW - 800 lm	65°	Cree	4,550.00	16
681554	15W Vino COB LED Spike Lamp	WW - 1500 lm	95°	Cree	6,200.00	08

CRI : >80 | PF : >0.95 | IP : 65 | CCT : WW-3000K



681364



681554



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR

VINO LED GARDEN SPIKE LIGHTS

Code	Description	Light Output	PF	LED Make	M.R.P ₹	Pkg.
*681728	6W Vino LED Ground Spike Lamp	WW - 570 lm	>0.95	Sarem	4,130.00	10
NEW 681205	5W Vino LED Ground Spike Lamp	WW - 500 lm	>0.50	Epistar	835.00	10
NEW 681212	12W Vino LED Ground Spike Lamp	WW - 1200 lm	>0.50	Epistar	1,595.00	10
NEW 681706	6W Vino LED Ground Spike Lamp	WW - 600 lm	>0.90	Epistar	1,540.00	10
NEW 681712	12W Vino LED Ground Spike Lamp	WW - 1200 lm	>0.90	Epistar	1,925.00	10

CRI : >80 | *Beam Angle : 18° | Beam Angle : 36° | IP : 65 | CCT : WW-3000K



681728



681205



681212



681706



681712



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES




NO UV/IR

VINO LED BOLLARD & LED POLE LAMPS

Code	Description	Light Output	Beam Angle	Height (mm)	M.R.P ₹	Pkg.
680939	18W VINO LED Bollard Lamp	WW - 1341 lm	-	900	10,600.00	02
*680831	1 x 8W VINO COB LED Pole Lamp	WW - 800 lm	170°	2400	18,700.00	01
*680833	3 x 8W VINO COB LED Pole Lamp	WW - 2400 lm	170°	2400	29,700.00	01
NEW 680091	30W VINO LED Pole Lamp	WW - 1600 lm	-	2200 x 80 (Dia)	21,050.00	01
NEW 680093	18W VINO LED Pole Lamp	WW - 1341 lm	-	2200 x 80 (Dia)	17,525.00	01

CRI : >80 | PF : >0.90 | *LED Make : Cree | LED Make : Everlight | CCT : WW-3000K | IP : 54



680939

680091

680093

680833

680831



ENERGY EFFICIENT



ECO FRIENDLY



HASSLE FREE INSTALLATION



HIGH POWER FACTOR



WIDE WATTAGES



NO UV/IR



Corp. Office : V. K. Industries, 702-709 AT By AGM Vijaylaxmi Venture,
Mahakali Caves Road, Andheri (E), Mumbai - 400 093, Maharashtra, India.
Factory : Survey No. 227, Ajaran Falia, Vil. Kachigam, Daman - 396 210 (UT), India
Customer Care : +91 22 4527 2000 | E : info@vinayelectricals.com

Official Branches : Bengaluru : +91 79777 66915 | Chennai : +91 97203 70888
Guwahati : +91 70023 61747 | Hyderabad : +91 97203 70888
Indore : +91 +91 97550 44977 / 98930 67623 | Jaipur : +91 93219 00876
Kolkata : +91 97025 33888 | Lucknow : +91 97025 33888
Patna : +91 87890 57778 | Pune : +91 99753 15007 | Raipur : +91 83569 20291
Thrissur : +91 95263 61939 | Zirakpur : +91 99881 99441

SCAN FOR STARGATE APP:



APPLE STORE



PLAY STORE